




12.20.24 12.20.24			#CN#	DATE	REVISION	DESCRIPTION ECON	A* DATE	<u> </u>
1 Winter Control 1 1 1 1 1 1 1 1 1	REV	DESCRIPTION		1			+	T
10	P1	VARIOUS CHANGES		12.22.94				T
10 11 12 13 13 13 13 13 13	8	CHANGES R173 & R202 IM TO 39.2K 1X	1	1.17.95				
1	8	VARIOUS HOLES SIZES CHANGES IN PCB.		3.1.95				
10 100 2 44 Ph Ph SOCIES 151 13-15 100	B1	REPLACE WIRE 36-0052 W/ 36-1140	330	4.11.95				
10 10 10 10 10 10 10 10	B2		516	8/28/95				
14 11 11 11 11 11 11 11	B3	REMOVE 4 14-PIN IC SOCKETS	647	12.13.95				
1914 1914	B4	STANDARDIZE FILM CAPS	714	1.17.96				
100 (14.000)								
								T
					•		-	
1 L NK								
								T
								Ī
								T
ILINK								T
								Ī
				-				
LINK								T
ULINK								
			:	•		Title dbx 166A Size Docum B Date: J		6207 REV B4














dbx Professional Products

DOD Software

dbx 166A DUAL COMPRESSOR/EXPANDER 80-6207 Revised: January 17, 1996

056207B4.000

Revision: B4 January 17, 1996 14:36:59

Quan Reference

Bill Of Materials

Part SYMAN

Description

20	C1,C2,C3,C7,C8,C9,C12,	.1MD3	62-0060	.1 uF Cap 50V 20% Ceramic AXL
	C13, C31, C34, C36, C37, C39,			
	C41, C42, C48, C53, C54, C55,			
	C56			
4	C4,C14,C20,C26	.39J	56-0040	.39 uF Cap 50V 5% Stacked Metal Pet 394J ammo
4	C5,C10,C11,C16	.047J	56-0010	.047 uF Cap 50V 5% Stacked Metal Pet 473J ammo
6	C6,C22,C23,C28,C29,C32	2.2M50E1	60-0400	2.2 uF Cap 50V -20/+20% Elect. Rad, T&R
2	C15,C18	1M50E1	60-0044-01	1.0 uF Cap 50V -20/+20% Elect., T&R C&F
2	C17,C25	.0047J	56-0004	.0047 uF Cap 50V 5% Poly Film 472J ammo
2	C19,C24	.15J	56-0013	.15 uF Cap 50V 5% Stacked Metal Pet 154J ammo
2	C21,C27	.22J	56-0014	.22 uF Cap 50V 5% Stacked Metal Pet 224J ammo
2	C30,C47	33M25E1	60-0401	33 uF Cap 25V -20/+20% Elect. Rad, T&R
2	C33,C43	1000S35E	60-0063	1000 uF Cap 35V -20/+80% Elect
4	C35,C38,C40,C45	27PJC3	62-0066	27 pF Cap 50V 20% Axial Monolithic
2	C44,C50	10PJ100M3	62-0063	10 pF Cap 100V 5% Ceramic AXL NPO
2	C46,C51	47PJ100M3	62-0064	47 pF Cap 100V 5% Ceramic AXL NPO
2	C49,C52	22NPM25E1	60-0402	22 uF Cap 25V -20/+20% Elect. NP , T&R
12	C57, C58, C61, C62, C63, C64,	1000PJ100M	62-0061	1000 pF Cap 100V 5% Ceramic AXL NPO
	C65,C66,C67,C68,C69,C70			
2	C59,C60	4700PM125D	62-0039	4700 pF Cap 125V 20% Ceramic
10	D1,D5,D6,D7,D8,D9,D10,	LEDR702082	70-2082	Red Light Emitting Diode, T1 Encap, w/housing
	D14,D15,D16			
2	D2,D11	LEDG702083	70-2083	Green Light Emitting Diode, T1 Encap, w/housing
2	D3,D12	LEDT702107	70-2107	G/Y/R Light Emitting Diode, T1 LMX, 3 pos
2	D4,D13	LEDR702084	70-2084	Red Light Emitting Diode, Tl Encap, 10 pos
2	D17,D24	1N5223	70-0041	1N5223 Diode Zener Glass, 1/2W, 50V, 10%
30	D18,D19,D20,D21,D22,D23,	1N4148	70-0002	1N4148 Diode Silicon Switching, 75 Volts PIV
	D25,D26,D27,D28,D29,D30,			
	D31,D32,D33,D36,D37,D38,			ı
	D39,D40,D43,D44,D45,D46,			
	D52,D53,D54,D56,D57,D58			
4	D34,D35,D41,D42	LEDG702062		LED Green, T1 Case
· 6	D47,D48,D49,D50,D51,D55	1N4004	70-0009	1N4004 Rect 1A 400V
4	FC1,FC2,FC3,FC4	FC322089	32-2089	Fuse Clip, 5 x 20mm
2	H1,H2	PA82300	00-0000	8X2 Pin Pad Pattern, Not a part, .300 Spacing
2	HS1, HS2	HS704215	70-4215	Heatsink, PCB Mount, for TO-220
	J1, J2	RC321155	32-1155	16 Pin Cable, Flat, w/2 ends, 3.00", 0.1" spacing
	J1A, J2A	DIP16S HDR322116	70-3022	16 Pin Dip Socket 3 Pin Hdr, Straight, .23", 0.1" spacing
1			32-2116	10 Pin Hdr, 5X2, Straight, .23", 0.1" spacing
1	J4	HDR322111 QT283333	32-2111 28-3333	Quick-tab, Terminal, PC Mount, 2 Pin
	J5,J6	Q1283333 ACR320057	32-0057	AC Power Receptical, IEC, Non filtered
1	J7		32-0037	Jack, 1/4" Phone, PC Mount, Hor., Cliff S2
6	J8,J10,J12,J13,J15,J17 J9,J14	J322110 J322114	32-2110	XLR, Male PC Mount, Ins, R/A
2			32-2114	XLR, Female PC Mount, Ins, R/A
2	J11,J16 MOV1,P14,P16,P19,P20,R88,	J322115 OMIT	00-0000	This part has been omitted
3	R109,R173,R202	OHLI	00 0000	Fare Man seem emperate
0	P1, P3, P4, P6, P7, P9, P10,	20K402121	40-2121	20 K 16mm, Rot Pot, 15mm Knurled shaft
0	P12	201402727		
. 2	P2, P8	1M402094	40-2094	1 M "D" 16mm, Rot Pot, 15mm D Shaft
2	P5,P11	10K402122	40-2122	10 K "B" 16mm, Rot Pot, 15mm Knurled shaft
4	P13, P15, P17, P18	50K420222		50 K Trim Pot, Vertical Mount, 3/4 turn
-	220,220,221,220			

DOD Software

dbx 166A DUAL COMPRESSOR/EXPANDER 80-6207 Revised: January 17, 1996

056207B4.000

Revision: B4 January 17, 1996 14:36:59

Quan Reference

Bill Of Materials

Part SYMAN

Description

	<u> </u>	·								
		00: 600# 5	00 COO7 B	dhar 1	CCAD	MAIN PCB	זמו אל כד			
1	PCB1	80-6207-B	80-6207-B	2N440			IGNAI			
4	Q1,Q2,Q4,Q6	2N4402	70-1035			•	IGNAL			
2	Q3,Q5	2N4400	70-1041	2N440		•			Dina	Tno CP
1	QT1	QT283332	28-3332	-		Terminal			_	Carbon Film
14	R1,R2,R13,R14,R15,R19, R21,R23,R25,R29,R30,R31, R87,R111	3K	50-0211	3	KOIIII	RESISCOL	3*	1/4	Wacc	Carbon Firm
14	R3,R4,R5,R6,R7,R8,R50, R68,R162,R164,R167,R191, R193,R199	2.00K 1%	52-0186	2.00	KOhm	Resistor	1%	1/4	Watt	Metal Film
1	R9	3.01K 1%	52-0125	3.01	KOhm	Resistor	1%	1/4	Watt	Metal Film
9	R10,R26,R27,R47,R60,R65,	4.99K 1%	52-0165	4.99	KOhm	Resistor	1%	1/4	Watt	Metal Film
	R78,R85,R108									
2	R11,R16	1.00K 1%	52-0133	1.00	KOhm	Resistor	1%	1/4	Watt	Metal Film
8	R12,R17,R37,R86,R90,R110, R122,R126	1.5M	50-0053	1.5	MOhm	Resistor	5%	1/4	Watt	Carbon Film
2	R18,R22	560	50-0193	560	Ohm	Resistor	5%	1/4	Watt	Carbon Film
25	R20,R24,R32,R33,R34,R57,	10.0K 1%	52-0107	10.0	KOhm	Resistor	18	1/4	Watt	Metal Film
	R59,R75,R77,R79,R80,R83, R99,R103,R106,R115,R116,									
	R131,R132,R136,R137,R141,									
	R142,R156,R185									
3	R28,R98,R102	100K 1%	52-0305	100	KOhm	Resistor	18	1/4	Watt	Metal Film
2	R35,R81	1M	50-0045	1	MOhm	Resistor	5%	1/4	Watt	Carbon Film
6	R36,R84,R101,R107,R170, R197	100 1%	52-0400	100	Ohm	Resistor	1%	1/4	Watt	Metal Film
10	R38,R91,R145,R148,R159, R160,R174,R177,R188,R189	49.9K 1%	52-0020	49.9	KOhm	Resistor	1%	1/4	Watt	Metal Film
2	R39,R92	20	50-0157	20	Ohm	Resistor	5%	1/4	Watt	Carbon Film
4	R40,R43,R93,R96	24.9K 1%	52-0039	24.9	KOhm	Resistor	18	1/4	Watt	Metal Film
2	R41,R94	560K	50-0269	560	KOhm	Resistor	5%	1/4	Watt	Carbon Film
2	R42,R95	16.9K 1%	52-0048	16.9	KOhm	Resistor	1%	1/4	Watt	Metal Film
2	R44,R62	7.15K 1%	52-0113	7.15	KOhm	Resistor	1%	1/4	Watt	Metal Film
	R45,R63,R150,R171,R179,	5.76K 1%	52-0116	5.76	KOhm	Resistor	1%	1/4	Watt	Metal Film
	R200 R46,R64,R82,R105,R146,	7.50K 1%	52-2090	7 50	KOhm	Resistor	1%	1/4	Watt	Metal Film
•	R175									
4	R48,R49,R66,R67	124K 1%	52-0296	124		Resistor	18	1/4		Metal Film
2	R51,R69	6.34K 1%	52-0159			Resistor	18	1/4		Metal Film
4	R52,R56,R70,R74	280K 1%	52-0262	280		Resistor	18	1/4		Metal Film Metal Film
2	R53,R71	200K 1%	52-0276	200		Resistor	18	1/4		
4	R54,R55,R72,R73	523K 1%	52-0237	523		Resistor	18 18	1/4 1/4		Metal Film Metal Film
2	R58,R76	412K 1%	52-0247	412		Resistor				Metal Film
2	R61,R89	2.49K 1%	52-0141			Resistor	1% 5%	1/4 1/4		Carbon Film
2	R97,R118	22M	50-0307	22 174		Resistor Resistor	1%	1/4		Metal Film
2	R100,R104	174 1% 20.0K 1%	52-0387 52-0091			Resistor	18	1/4		Metal Film
10	R112,R113,R128,R129,R135, R140,R163,R172,R192,R201	20.UK 16	J2-0031	20.0	KOMII		- 0	~/ ·I		
4	R114,R117,R130,R133	39.2K 1%	52-0079	39.2	KOhm	Resistor	18	1/4	Watt	Metal Film
2	R119,R124	210 1%	52-0373	210		Resistor	18	1/4		Metal Film
2	R120,R125	499 1%	52-0338	499		Resistor	18	1/4		Metal Film
2	R121,R134	10M	50-0060	10M		Resistor	5%	1/4	Watt	Carbon Film
	•									

DOD Software

dbx 166A DUAL COMPRESSOR/EXPANDER 80-6207 Revised: January 17, 1996

Revision: B4

056207B4.000

Bill Of Materials January 17, 1996 14:36:59

Part SYMAN Description Quan Reference

2	R123,R127	1.74K 1%	52-0190	1.74 KOhm Resistor 1% 1/4 Watt Metal Film
2	R138,R143	2.67K 1%	52-0178	2.67 KOhm Resistor 1% 1/4 Watt Metal Film
4	R139,R144,R161,R190	33.2K 1%	52-0082	33.2 KOhm Resistor 1% 1/4 Watt Metal Film
2	R147,R176	4.32K 1%	52-0167	4.32 KOhm Resistor 1% 1/4 Watt Metal Film
4	R149,R153,R178,R182	3.16K 1%	52-0132	3.16 KOhm Resistor 1% 1/4 Watt Metal Film
2	R151,R180	3.24K 1%	52-0124	3.24 KOhm Resistor 1% 1/4 Watt Metal Film
4	R152,R155,R181,R184	4.53K 1%	52-0119	4.53 KOhm Resistor 1% 1/4 Watt Metal Film
4	R154,R158,R183,R187	60.4 1%	52-0450	60.4 Ohm Resistor 1% 1/4 Watt Metal Film
2	R157,R186	6.04K 1%	52-0115	6.04 KOhm Resistor 1% 1/4 Watt Metal Film
2	R165,R194	5.1K	50-0217	5.1 KOhm Resistor 5% 1/4 Watt Carbon Film
2	R166,R198	1.62K 1%	52-0131	1.62 KOhm Resistor 1% 1/4 Watt Metal Film
2	R168,R195	47	50-0166	47 Ohm Resistor 5% 1/4 Watt Carbon Film
2	R169,R196	150K	50-0038	150 KOhm Resistor 5% 1/4 Watt Carbon Film
2	R203,R204	200 1%	52-0376	200 Ohm Resistor 1% 1/4 Watt Metal Film
8	SC1, SC2, SC3, SC4, SC5, SC6,	SC340125	34-0125	Switch Cap, Black
	SC7,SC8			
2	SW1,SW2	SW440027	44-0027	DPDT I/O Switch (mini), PC Mount
5	SW3, SW4, SW5, SW6, SW7	SW440026	44-0026	4PDT I/O Switch (small), PC Mount
1	SW8	SW440022	44-0022	6PDT I/O Switch (mini), PC Mount
9	TP1, TP2, TP3, TP4, TP5, TP6,	TP500317	50-0317	0 Ohm Test Point 5% 1/4 Watt Carbon Film Radial T&
	TP7, TP8, TP9			
8	U1,U2,U3,U4,U5,U6,U7,U8	LM339	72-4053	Quad Comparator
2	U9, U13	UPC1253	72-4261	UPC1253HA2 RMS
6	U10,U12,U14,U16,U18,U21	TL074	72-4021	Quad JFet-Input Op-Amp
2	U11,U15	CA3046D	72-4321	CA3046 Matched Transister Pairs BPO
1	U17	7915-V	70-4124	7915 -15 Volt 1 A Voltage Regulator TO-220 VERT
4	U19,U20,U22,U23	NE5532	72-4316	5532 Low Noise Dual Op-Amp
1	U24	7815-V	70-4123	7815 +15 Volt 1 A Voltage Regulator TO-220 VERT
2	U25,U26	UPC1252	72-4262	UPC1252HA2 VCA
6	WA8, WA10, WA12, WA13, WA15,	WA283449	28-3449	Washer, Ground, Int tooth, for Cliff S2 Jack
	WA17			
1	WRI	W361140	36-1140-A	Wire, 2 End, 4.00", Grn w/Yel stripe 18AWG
				•